



YIDA PRECISION TOOLS

www.ydendmill.com



Outstanding Performance

Micro Grain Carbide End Mill

Remarkable Efficiency

www.ydendmill.com



Killer Whale


Customized

Killer Whale Series is a Drill, Reamer and Customized Tools, with your specifications in mind, YIDA can manufacture a high precision instrument to meet your needs.

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools



SDR2A (鎢鋼同柄鑽頭)

2 Flutes Carbide Straight Shank Drill

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
SDR2A030	3.0	16	2	46	3.0
SDR2A031	3.1	16	2	49	3.1
SDR2A032	3.2	18	2	49	3.2
SDR2A033	3.3	18	2	49	3.3
SDR2A034	3.4	20	2	52	3.4
SDR2A035	3.5	20	2	52	3.5
SDR2A036	3.6	20	2	52	3.6
SDR2A037	3.7	20	2	52	3.7
SDR2A038	3.8	22	2	55	3.8
SDR2A039	3.9	22	2	55	3.9
SDR2A040	4.0	22	2	55	4.0
SDR2A041	4.1	22	2	55	4.1
SDR2A042	4.2	22	2	55	4.2
SDR2A043	4.3	24	2	58	4.3
SDR2A044	4.4	24	2	58	4.4
SDR2A045	4.5	24	2	58	4.5
SDR2A046	4.6	24	2	58	4.6
SDR2A047	4.7	24	2	58	4.7
SDR2A048	4.8	26	2	62	4.8
SDR2A049	4.9	26	2	62	4.9
SDR2A050	5.0	26	2	62	5.0
SDR2A051	5.1	26	2	62	5.1
SDR2A052	5.2	26	2	62	5.2
SDR2A053	5.3	26	2	62	5.3
SDR2A054	5.4	28	2	66	5.4
SDR2A055	5.5	28	2	66	5.5
SDR2A056	5.6	28	2	66	5.6
SDR2A057	5.7	28	2	66	5.7
SDR2A058	5.8	28	2	66	5.8
SDR2A059	5.9	28	2	66	5.9
SDR2A060	6.0	28	2	66	6.0
SDR2A061	6.1	31	2	70	6.1
SDR2A062	6.2	31	2	70	6.2
SDR2A063	6.3	31	2	70	6.3
SDR2A064	6.4	31	2	70	6.4
SDR2A065	6.5	31	2	70	6.5
SDR2A066	6.6	31	2	70	6.6
SDR2A067	6.7	31	2	70	6.7
SDR2A068	6.8	34	2	74	6.8
SDR2A069	6.9	34	2	74	6.9
SDR2A070	7.0	34	2	74	7.0
SDR2A071	7.1	34	2	74	7.1
SDR2A072	7.2	34	2	74	7.2
SDR2A073	7.3	34	2	74	7.3
SDR2A074	7.4	34	2	74	7.4
SDR2A075	7.5	34	2	74	7.5

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
SDR2A076	7.6	37	2	79	7.6
SDR2A077	7.7	37	2	79	7.7
SDR2A078	7.8	37	2	79	7.8
SDR2A079	7.9	37	2	79	7.9
SDR2A080	8.0	37	2	79	8.0
SDR2A081	8.1	37	2	79	8.1
SDR2A082	8.2	37	2	79	8.2
SDR2A083	8.3	37	2	79	8.3
SDR2A084	8.4	37	2	79	8.4
SDR2A085	8.5	37	2	79	8.5
SDR2A086	8.6	40	2	84	8.6
SDR2A087	8.7	40	2	84	8.7
SDR2A088	8.8	40	2	84	8.8
SDR2A089	8.9	40	2	84	8.9
SDR2A090	9.0	40	2	84	9.0
SDR2A091	9.1	40	2	84	9.1
SDR2A092	9.2	40	2	84	9.2
SDR2A093	9.3	40	2	84	9.3
SDR2A094	9.4	40	2	84	9.4
SDR2A095	9.5	40	2	84	9.5
SDR2A096	9.6	43	2	89	9.6
SDR2A097	9.7	43	2	89	9.7
SDR2A098	9.8	43	2	89	9.8
SDR2A099	9.9	43	2	89	9.9
SDR2A100	10.0	43	2	89	10.0
SDR2A101	10.1	43	2	89	10.1
SDR2A102	10.2	43	2	89	10.2
SDR2A103	10.3	43	2	89	10.3
SDR2A104	10.4	43	2	89	10.4
SDR2A105	10.5	43	2	89	10.5
SDR2A106	10.6	43	2	89	10.6
SDR2A107	10.7	47	2	95	10.7
SDR2A108	10.8	47	2	95	10.8
SDR2A109	10.9	47	2	95	10.9
SDR2A110	11.0	47	2	95	11.0
SDR2A111	11.1	47	2	95	11.1
SDR2A112	11.2	47	2	95	11.2
SDR2A113	11.3	47	2	95	11.3
SDR2A114	11.4	47	2	95	11.4
SDR2A115	11.5	47	2	95	11.5
SDR2A116	11.6	47	2	95	11.6
SDR2A117	11.7	47	2	95	11.7
SDR2A118	11.8	47	2	95	11.8
SDR2A119	11.9	47	2	95	11.9
SDR2A120	12.0	51	2	102	12.0
SDR2A121	12.1	51	2	102	12.1
SDR2A122	12.2	51	2	102	12.2
SDR2A123	12.3	51	2	102	12.3
SDR2A124	12.4	51	2	102	12.4
SDR2A125	12.5	51	2	102	12.5
SDR2A126	12.6	51	2	102	12.6
SDR2A127	12.7	51	2	102	12.7
SDR2A128	12.8	51	2	102	12.8
SDR2A129	12.9	51	2	102	12.9
SDR2A130	13.0	51	2	102	13.0



Remarkable Efficiency

www.ydendmill.com

Customization
Special for customized




FDR2A (鎢鋼平底鑽頭)

2 Flutes Flat Drill



編號	外徑	刃長	有效長	刃數	全長	柄徑
Type no.	D	H	NL	Flutes	L	D2
FDR2A010	1.0	3.3	3.6	2	50	3
FDR2A011	1.1	3.5	3.9	2	50	3
FDR2A012	1.2	3.9	4.2	2	50	3
FDR2A013	1.3	4.2	4.5	2	50	3
FDR2A014	1.4	4.6	4.9	2	50	3
FDR2A015	1.5	4.9	5.2	2	50	3
FDR2A016	1.6	5.2	5.5	2	50	3
FDR2A017	1.7	5.5	5.8	2	50	3
FDR2A018	1.8	5.8	6.1	2	50	3
FDR2A019	1.9	6.2	6.5	2	50	3
FDR2A020	2.0	9	9.8	2	50	4
FDR2A021	2.1	11	11.4	2	50	4
FDR2A022	2.2	11	11.4	2	50	4
FDR2A023	2.3	11	11.5	2	50	4
FDR2A024	2.4	12	12.6	2	50	4
FDR2A025	2.5	12	12.7	2	50	4
FDR2A026	2.6	12	12.8	2	50	4
FDR2A027	2.7	14	14.9	2	50	4
FDR2A028	2.8	14	15	2	50	4
FDR2A029	2.9	14	15	2	50	4
FDR2A030	3.0	14	14.4	2	60	6
FDR2A031	3.1	15	15.5	2	60	6
FDR2A032	3.2	15	15.6	2	60	6
FDR2A033	3.3	15	15.7	2	60	6
FDR2A034	3.4	16	16.2	2	60	6
FDR2A035	3.5	16	16.3	2	60	6
FDR2A036	3.6	16	16.4	2	60	6
FDR2A037	3.7	18	18	2	60	6
FDR2A038	3.8	18	18.1	2	60	6
FDR2A039	3.9	18	18.2	2	60	6
FDR2A040	4.0	18	18.3	2	60	6
FDR2A041	4.1	19	20.4	2	60	6



Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools

編號	外徑	刃長	有效長	刃數	全長	柄徑
Type no.	D	H	NL	Flutes	L	D2
FDR2A042	4.2	19	20.4	2	60	6
FDR2A043	4.3	19	20.5	2	60	6
FDR2A044	4.4	21	22.6	2	60	6
FDR2A045	4.5	21	22.7	2	60	6
FDR2A046	4.6	21	22.8	2	60	6
FDR2A047	4.7	22	22.9	2	60	6
FDR2A048	4.8	22	23	2	60	6
FDR2A049	4.9	22	23	2	60	6
FDR2A050	5.0	23	23.1	2	75	6
FDR2A051	5.1	24	26.2	2	75	6
FDR2A052	5.2	24	26.3	2	75	6
FDR2A053	5.3	24	26.4	2	75	6
FDR2A054	5.4	25	27.5	2	75	6
FDR2A055	5.5	25	27.6	2	75	6
FDR2A056	5.6	25	27.7	2	75	6
FDR2A057	5.7	27	29.7	2	75	6
FDR2A058	5.8	27	29.8	2	75	6
FDR2A059	5.9	27	29.9	2	75	6
FDR2A060	6.0	27	30	2	75	6
FDR2A061	6.1	28	31	2	75	8
FDR2A062	6.2	28	31	2	75	8
FDR2A063	6.3	28	31	2	75	8
FDR2A064	6.4	30	33	2	75	8
FDR2A065	6.5	30	33	2	75	8
FDR2A066	6.6	30	33	2	75	8
FDR2A067	6.7	31	33	2	75	8
FDR2A068	6.8	31	33	2	75	8
FDR2A069	6.9	31	33	2	75	8
FDR2A070	7.0	32	33	2	75	8
FDR2A071	7.1	33	36	2	75	8
FDR2A072	7.2	33	36	2	75	8
FDR2A073	7.3	33	36	2	75	8
FDR2A074	7.4	34	39	2	75	8
FDR2A075	7.5	34	39	2	75	8
FDR2A076	7.6	34	39	2	75	8
FDR2A077	7.7	36	39	2	75	8
FDR2A078	7.8	36	40	2	80	8
FDR2A079	7.9	36	40	2	80	8
FDR2A080	8.0	36	40	2	80	8
FDR2A081	8.1	37	42	2	100	10
FDR2A082	8.2	37	42	2	100	10
FDR2A083	8.3	37	42	2	100	10
FDR2A084	8.4	39	42	2	100	10
FDR2A085	8.5	39	42	2	100	10
FDR2A086	8.6	39	42	2	100	10
FDR2A087	8.7	40	42	2	100	10
FDR2A088	8.8	40	42	2	100	10
FDR2A089	8.9	40	42	2	100	10
FDR2A090	9.0	41	42	2	100	10
FDR2A091	9.1	42	45	2	100	10
FDR2A092	9.2	42	45	2	100	10
FDR2A093	9.3	42	45	2	100	10
FDR2A094	9.4	43	45	2	100	10
FDR2A095	9.5	43	45	2	100	10
FDR2A096	9.6	43	45	2	100	10
FDR2A097	9.7	45	48	2	100	10
FDR2A098	9.8	45	48	2	100	10
FDR2A099	9.9	45	48	2	100	10

編號	外徑	刃長	有效長	刃數	全長	柄徑
Type no.	D	H	NL	Flutes	L	D2
FDR2A100	10.0	45	48	2	100	10
FDR2A101	10.1	46	49	2	100	12
FDR2A102	10.2	46	49	2	100	12
FDR2A103	10.3	46	49	2	100	12
FDR2A104	10.4	48	51	2	100	12
FDR2A105	10.5	48	51	2	100	12
FDR2A106	10.6	48	51	2	100	12
FDR2A107	10.7	49	51	2	100	12
FDR2A108	10.8	49	51	2	100	12
FDR2A109	10.9	49	51	2	100	12
FDR2A110	11.0	50	51	2	100	12
FDR2A111	11.1	51	54	2	100	12
FDR2A112	11.2	51	54	2	100	12
FDR2A113	11.3	51	54	2	100	12
FDR2A114	11.4	52	54	2	100	12
FDR2A115	11.5	52	54	2	100	12
FDR2A116	11.6	52	54	2	100	12
FDR2A117	11.7	54	57	2	100	12
FDR2A118	11.8	54	57	2	100	12
FDR2A119	11.9	54	57	2	100	12
FDR2A120	12.0	54	57	2	100	12
FDR2A125	12.5	57	60	2	125	12
FDR2A130	13.0	59	60	2	125	12
FDR2A135	13.5	61	63	2	125	12
FDR2A140	14.0	63	66	2	125	12
FDR2A145	14.5	66	69	2	125	12
FDR2A150	15.0	68	69	2	125	12
FDR2A155	15.5	70	72	2	125	12
FDR2A160	16.0	72	75	2	125	16
FDR2A165	16.5	75	78	2	125	16
FDR2A170	17.0	77	79	2	150	16
FDR2A175	17.5	79	81	2	150	16
FDR2A180	18.0	81	84	2	150	16
FDR2A185	18.5	84	87	2	150	16
FDR2A190	19.0	86	87	2	150	16
FDR2A195	19.5	88	91	2	150	16
FDR2A200	20.0	90	93	2	150	20



Customization
Special for customized



60

Yida Precision Tools

Remarkable Efficiency

www.ydendmill.com

Customization
Special for customized



DR2A (鎢鋼鑽頭)

2 Flutes Carbide Drill (3D) A-3倍刃

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DR2A0300	3.0	20	2	62	6
DR2A0310	3.1	20	2	62	6
DR2A0320	3.2	20	2	62	6
DR2A0330	3.3	20	2	62	6
DR2A0340	3.4	20	2	62	6
DR2A0350	3.5	20	2	62	6
DR2A0360	3.6	20	2	62	6
DR2A0370	3.7	20	2	62	6
DR2A0380	3.8	24	2	66	6
DR2A0390	3.9	24	2	66	6
DR2A0400	4.0	24	2	66	6
DR2A0410	4.1	24	2	66	6
DR2A0420	4.2	24	2	66	6
DR2A0430	4.3	24	2	66	6
DR2A0440	4.4	24	2	66	6
DR2A0450	4.5	24	2	66	6
DR2A0460	4.6	24	2	66	6
DR2A0470	4.7	24	2	66	6
DR2A0480	4.8	28	2	66	6
DR2A0490	4.9	28	2	66	6
DR2A0500	5.0	28	2	66	6
DR2A0510	5.1	28	2	66	6
DR2A0520	5.2	28	2	66	6
DR2A0530	5.3	28	2	66	6
DR2A0540	5.4	28	2	66	6
DR2A0550	5.5	28	2	66	6
DR2A0560	5.6	28	2	66	6
DR2A0570	5.7	28	2	66	6
DR2A0580	5.8	28	2	66	6
DR2A0590	5.9	28	2	66	6
DR2A0600	6.0	28	2	66	6
DR2A0610	6.1	34	2	79	8
DR2A0620	6.2	34	2	79	8
DR2A0630	6.3	34	2	79	8

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DR2A0640	6.4	34	2	79	8
DR2A0650	6.5	34	2	79	8
DR2A0660	6.6	34	2	79	8
DR2A0670	6.7	34	2	79	8
DR2A0680	6.8	34	2	79	8
DR2A0690	6.9	34	2	79	8
DR2A0700	7.0	34	2	79	8
DR2A0710	7.1	41	2	79	8
DR2A0720	7.2	41	2	79	8
DR2A0730	7.3	41	2	79	8
DR2A0740	7.4	41	2	79	8
DR2A0750	7.5	41	2	79	8
DR2A0760	7.6	41	2	79	8
DR2A0770	7.7	41	2	79	8
DR2A0780	7.8	41	2	79	8
DR2A0790	7.9	41	2	79	8
DR2A0800	8.0	41	2	79	8
DR2A0810	8.1	47	2	89	10
DR2A0820	8.2	47	2	89	10
DR2A0830	8.3	47	2	89	10
DR2A0840	8.4	47	2	89	10
DR2A0850	8.5	47	2	89	10
DR2A0860	8.6	47	2	89	10
DR2A0870	8.7	47	2	89	10
DR2A0880	8.8	47	2	89	10
DR2A0890	8.9	47	2	89	10
DR2A0900	9.0	47	2	89	10
DR2A0910	9.1	47	2	89	10
DR2A0920	9.2	47	2	89	10
DR2A0930	9.3	47	2	89	10
DR2A0940	9.4	47	2	89	10
DR2A0950	9.5	47	2	89	10
DR2A0960	9.6	47	2	89	10
DR2A0970	9.7	47	2	89	10
DR2A0980	9.8	47	2	89	10
DR2A0990	9.9	47	2	89	10
DR2A1000	10.0	47	2	89	10
DR2A1010	10.1	55	2	102	12
DR2A1020	10.2	55	2	102	12
DR2A1030	10.3	55	2	102	12
DR2A1040	10.4	55	2	102	12
DR2A1050	10.5	55	2	102	12
DR2A1060	10.6	55	2	102	12
DR2A1070	10.7	55	2	102	12
DR2A1080	10.8	55	2	102	12
DR2A1090	10.9	55	2	102	12
DR2A1100	11.0	55	2	102	12
DR2A1110	11.1	55	2	102	12
DR2A1120	11.2	55	2	102	12
DR2A1130	11.3	55	2	102	12
DR2A1140	11.4	55	2	102	12
DR2A1150	11.5	55	2	102	12
DR2A1160	11.6	55	2	102	12
DR2A1170	11.7	55	2	102	12

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DR2A1180	11.8	55	2	102	12
DR2A1190	11.9	55	2	102	12
DR2A1200	12.0	55	2	102	12
DR2A1250	12.5	60	2	107	14
DR2A1280	12.8	60	2	107	14
DR2A1300	13.0	60	2	107	14
DR2A1350	13.5	60	2	107	14
DR2A1380	13.8	60	2	107	14
DR2A1400	14.0	60	2	107	14
DR2A1450	14.5	65	2	115	16
DR2A1480	14.8	65	2	115	16
DR2A1500	15.0	65	2	115	16
DR2A1550	15.5	65	2	115	16
DR2A1580	15.8	65	2	115	16
DR2A1600	16.0	65	2	115	16



Customization
Special for customized



Remarkable Efficiency

www.ydendmill.com

Customization
Special for customized



DR2B (鎢鋼鑽頭)

2 Flutes Carbide Drill (5D) B-5倍刃

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DR2B0300	3.0	28	2	66	6
DR2B0310	3.1	28	2	66	6
DR2B0320	3.2	28	2	66	6
DR2B0330	3.3	28	2	66	6
DR2B0340	3.4	28	2	66	6
DR2B0350	3.5	28	2	66	6
DR2B0360	3.6	28	2	66	6
DR2B0370	3.7	28	2	66	6
DR2B0380	3.8	36	2	74	6
DR2B0390	3.9	36	2	74	6
DR2B0400	4.0	36	2	74	6
DR2B0410	4.1	36	2	74	6
DR2B0420	4.2	36	2	74	6
DR2B0430	4.3	36	2	74	6
DR2B0440	4.4	36	2	74	6
DR2B0450	4.5	36	2	74	6
DR2B0460	4.6	36	2	74	6
DR2B0470	4.7	36	2	74	6
DR2B0480	4.8	44	2	82	6
DR2B0490	4.9	44	2	82	6
DR2B0500	5.0	44	2	82	6
DR2B0510	5.1	44	2	82	6
DR2B0520	5.2	44	2	82	6
DR2B0530	5.3	44	2	82	6
DR2B0540	5.4	44	2	82	6
DR2B0550	5.5	44	2	82	6
DR2B0560	5.6	44	2	82	6
DR2B0570	5.7	44	2	82	6
DR2B0580	5.8	44	2	82	6
DR2B0590	5.9	44	2	82	6
DR2B0600	6.0	44	2	82	6
DR2B0610	6.1	53	2	91	8
DR2B0620	6.2	53	2	91	8
DR2B0630	6.3	53	2	91	8

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DR2B0640	6.4	53	2	91	8
DR2B0650	6.5	53	2	91	8
DR2B0660	6.6	53	2	91	8
DR2B0670	6.7	53	2	91	8
DR2B0680	6.8	53	2	91	8
DR2B0690	6.9	53	2	91	8
DR2B0700	7.0	53	2	91	8
DR2B0710	7.1	53	2	91	8
DR2B0720	7.2	53	2	91	8
DR2B0730	7.3	53	2	91	8
DR2B0740	7.4	53	2	91	8
DR2B0750	7.5	53	2	91	8
DR2B0760	7.6	53	2	91	8
DR2B0770	7.7	53	2	91	8
DR2B0780	7.8	53	2	91	8
DR2B0790	7.9	53	2	91	8
DR2B0800	8.0	53	2	91	8
DR2B0810	8.1	61	2	103	10
DR2B0820	8.2	61	2	103	10
DR2B0830	8.3	61	2	103	10
DR2B0840	8.4	61	2	103	10
DR2B0850	8.5	61	2	103	10
DR2B0860	8.6	61	2	103	10
DR2B0870	8.7	61	2	103	10
DR2B0880	8.8	61	2	103	10
DR2B0890	8.9	61	2	103	10
DR2B0900	9.0	61	2	103	10
DR2B0910	9.1	61	2	103	10
DR2B0920	9.2	61	2	103	10
DR2B0930	9.3	61	2	103	10
DR2B0940	9.4	61	2	103	10
DR2B0950	9.5	61	2	103	10
DR2B0960	9.6	61	2	103	10
DR2B0970	9.7	61	2	103	10
DR2B0980	9.8	61	2	103	10
DR2B0990	9.9	61	2	103	10
DR2B1000	10.0	61	2	103	10
DR2B1010	10.1	71	2	118	12
DR2B1020	10.2	71	2	118	12
DR2B1030	10.3	71	2	118	12
DR2B1040	10.4	71	2	118	12
DR2B1050	10.5	71	2	118	12
DR2B1060	10.6	71	2	118	12
DR2B1070	10.7	71	2	118	12
DR2B1080	10.8	71	2	118	12
DR2B1090	10.9	71	2	118	12
DR2B1100	11.0	71	2	118	12
DR2B1110	11.1	71	2	118	12
DR2B1120	11.2	71	2	118	12
DR2B1130	11.3	71	2	118	12
DR2B1140	11.4	71	2	118	12
DR2B1150	11.5	71	2	118	12
DR2B1160	11.6	71	2	118	12
DR2B1170	11.7	71	2	118	12

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DR2B1180	11.8	71	2	118	12
DR2B1190	11.9	71	2	118	12
DR2B1200	12.0	71	2	118	12
DR2B1250	12.5	77	2	124	14
DR2B1280	12.8	77	2	124	14
DR2B1300	13.0	77	2	124	14
DR2B1350	13.5	77	2	124	14
DR2B1380	13.8	77	2	124	14
DR2B1400	14.0	77	2	124	14
DR2B1450	14.5	83	2	133	16
DR2B1480	14.8	83	2	133	16
DR2B1500	15.0	83	2	133	16
DR2B1550	15.5	83	2	133	16
DR2B1580	15.8	83	2	133	16
DR2B1600	16.0	83	2	133	16




Customization
Special for customized



Remarkable Efficiency

www.ydendmill.com

Customization
Special for customized



DRW2A (鎢鋼內冷鑽頭)

A-3倍刃

2 Flutes Carbide Coolant Drill (3D)

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DRW2A0300	3.0	20	2	62	6
DRW2A0310	3.1	20	2	62	6
DRW2A0320	3.2	20	2	62	6
DRW2A0330	3.3	20	2	62	6
DRW2A0340	3.4	20	2	62	6
DRW2A0350	3.5	20	2	62	6
DRW2A0360	3.6	20	2	62	6
DRW2A0370	3.7	20	2	62	6
DRW2A0380	3.8	24	2	66	6
DRW2A0390	3.9	24	2	66	6
DRW2A0400	4.0	24	2	66	6
DRW2A0410	4.1	24	2	66	6
DRW2A0420	4.2	24	2	66	6
DRW2A0430	4.3	24	2	66	6
DRW2A0440	4.4	24	2	66	6
DRW2A0450	4.5	24	2	66	6
DRW2A0460	4.6	24	2	66	6
DRW2A0470	4.7	24	2	66	6
DRW2A0480	4.8	28	2	66	6
DRW2A0490	4.9	28	2	66	6
DRW2A0500	5.0	28	2	66	6
DRW2A0510	5.1	28	2	66	6
DRW2A0520	5.2	28	2	66	6
DRW2A0530	5.3	28	2	66	6
DRW2A0540	5.4	28	2	66	6
DRW2A0550	5.5	28	2	66	6
DRW2A0560	5.6	28	2	66	6
DRW2A0570	5.7	28	2	66	6
DRW2A0580	5.8	28	2	66	6
DRW2A0590	5.9	28	2	66	6
DRW2A0600	6.0	28	2	66	6
DRW2A0610	6.1	34	2	79	8
DRW2A0620	6.2	34	2	79	8
DRW2A0630	6.3	34	2	79	8

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DRW2A0640	6.4	34	2	79	8
DRW2A0650	6.5	34	2	79	8
DRW2A0660	6.6	34	2	79	8
DRW2A0670	6.7	34	2	79	8
DRW2A0680	6.8	34	2	79	8
DRW2A0690	6.9	34	2	79	8
DRW2A0700	7.0	34	2	79	8
DRW2A0710	7.1	41	2	79	8
DRW2A0720	7.2	41	2	79	8
DRW2A0730	7.3	41	2	79	8
DRW2A0740	7.4	41	2	79	8
DRW2A0750	7.5	41	2	79	8
DRW2A0760	7.6	41	2	79	8
DRW2A0770	7.7	41	2	79	8
DRW2A0780	7.8	41	2	79	8
DRW2A0790	7.9	41	2	79	8
DRW2A0800	8.0	41	2	79	8
DRW2A0810	8.1	47	2	89	10
DRW2A0820	8.2	47	2	89	10
DRW2A0830	8.3	47	2	89	10
DRW2A0840	8.4	47	2	89	10
DRW2A0850	8.5	47	2	89	10
DRW2A0860	8.6	47	2	89	10
DRW2A0870	8.7	47	2	89	10
DRW2A0880	8.8	47	2	89	10
DRW2A0890	8.9	47	2	89	10
DRW2A0900	9.0	47	2	89	10
DRW2A0910	9.1	47	2	89	10
DRW2A0920	9.2	47	2	89	10
DRW2A0930	9.3	47	2	89	10
DRW2A0940	9.4	47	2	89	10
DRW2A0950	9.5	47	2	89	10
DRW2A0960	9.6	47	2	89	10
DRW2A0970	9.7	47	2	89	10
DRW2A0980	9.8	47	2	89	10
DRW2A0990	9.9	47	2	89	10
DRW2A1000	10.0	47	2	89	10
DRW2A1010	10.1	55	2	102	12
DRW2A1020	10.2	55	2	102	12
DRW2A1030	10.3	55	2	102	12
DRW2A1040	10.4	55	2	102	12
DRW2A1050	10.5	55	2	102	12
DRW2A1060	10.6	55	2	102	12
DRW2A1070	10.7	55	2	102	12
DRW2A1080	10.8	55	2	102	12
DRW2A1090	10.9	55	2	102	12
DRW2A1100	11.0	55	2	102	12
DRW2A1110	11.1	55	2	102	12
DRW2A1120	11.2	55	2	102	12
DRW2A1130	11.3	55	2	102	12
DRW2A1140	11.4	55	2	102	12
DRW2A1150	11.5	55	2	102	12
DRW2A1160	11.6	55	2	102	12
DRW2A1170	11.7	55	2	102	12

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DRW2A1180	11.8	55	2	102	12
DRW2A1190	11.9	55	2	102	12
DRW2A1200	12.0	55	2	102	12
DRW2A1250	12.5	60	2	107	14
DRW2A1280	12.8	60	2	107	14
DRW2A1300	13.0	60	2	107	14
DRW2A1350	13.5	60	2	107	14
DRW2A1380	13.8	60	2	107	14
DRW2A1400	14.0	60	2	107	14
DRW2A1450	14.5	65	2	115	16
DRW2A1480	14.8	65	2	115	16
DRW2A1500	15.0	65	2	115	16
DRW2A1550	15.5	65	2	115	16
DRW2A1580	15.8	65	2	115	16
DRW2A1600	16.0	65	2	115	16
DRW2A1650	16.5	73	2	123	18
DRW2A1680	16.8	73	2	123	18
DRW2A1700	17.0	73	2	123	18
DRW2A1750	17.5	73	2	123	18
DRW2A1780	17.8	73	2	123	18
DRW2A1800	18.0	73	2	123	18
DRW2A1850	18.5	79	2	131	20
DRW2A1880	18.8	79	2	131	20
DRW2A1900	19.0	79	2	131	20
DRW2A1950	19.5	79	2	131	20
DRW2A1980	19.8	79	2	131	20
DRW2A2000	20.0	79	2	131	20



Customization
Special for customized



Remarkable Efficiency

www.ydendmill.com


Customization
Special for customized



DRW2B (鎢鋼內冷鑽頭)

B-5倍刃

2 Flutes Carbide Coolant Drill (5D)



編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DRW2B0300	3.0	28	2	66	6
DRW2B0310	3.1	28	2	66	6
DRW2B0320	3.2	28	2	66	6
DRW2B0330	3.3	28	2	66	6
DRW2B0340	3.4	28	2	66	6
DRW2B0350	3.5	28	2	66	6
DRW2B0360	3.6	28	2	66	6
DRW2B0370	3.7	28	2	66	6
DRW2B0380	3.8	36	2	74	6
DRW2B0390	3.9	36	2	74	6
DRW2B0400	4.0	36	2	74	6
DRW2B0410	4.1	36	2	74	6
DRW2B0420	4.2	36	2	74	6
DRW2B0430	4.3	36	2	74	6
DRW2B0440	4.4	36	2	74	6
DRW2B0450	4.5	36	2	74	6
DRW2B0460	4.6	36	2	74	6
DRW2B0470	4.7	36	2	74	6
DRW2B0480	4.8	44	2	82	6
DRW2B0490	4.9	44	2	82	6
DRW2B0500	5.0	44	2	82	6
DRW2B0510	5.1	44	2	82	6
DRW2B0520	5.2	44	2	82	6
DRW2B0530	5.3	44	2	82	6
DRW2B0540	5.4	44	2	82	6
DRW2B0550	5.5	44	2	82	6
DRW2B0560	5.6	44	2	82	6
DRW2B0570	5.7	44	2	82	6
DRW2B0580	5.8	44	2	82	6
DRW2B0590	5.9	44	2	82	6
DRW2B0600	6.0	44	2	82	6
DRW2B0610	6.1	53	2	91	8
DRW2B0620	6.2	53	2	91	8
DRW2B0630	6.3	53	2	91	8

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DRW2B0640	6.4	53	2	91	8
DRW2B0650	6.5	53	2	91	8
DRW2B0660	6.6	53	2	91	8
DRW2B0670	6.7	53	2	91	8
DRW2B0680	6.8	53	2	91	8
DRW2B0690	6.9	53	2	91	8
DRW2B0700	7.0	53	2	91	8
DRW2B0710	7.1	53	2	91	8
DRW2B0720	7.2	53	2	91	8
DRW2B0730	7.3	53	2	91	8
DRW2B0740	7.4	53	2	91	8
DRW2B0750	7.5	53	2	91	8
DRW2B0760	7.6	53	2	91	8
DRW2B0770	7.7	53	2	91	8
DRW2B0780	7.8	53	2	91	8
DRW2B0790	7.9	53	2	91	8
DRW2B0800	8.0	53	2	91	8
DRW2B0810	8.1	61	2	103	10
DRW2B0820	8.2	61	2	103	10
DRW2B0830	8.3	61	2	103	10
DRW2B0840	8.4	61	2	103	10
DRW2B0850	8.5	61	2	103	10
DRW2B0860	8.6	61	2	103	10
DRW2B0870	8.7	61	2	103	10
DRW2B0880	8.8	61	2	103	10
DRW2B0890	8.9	61	2	103	10
DRW2B0900	9.0	61	2	103	10
DRW2B0910	9.1	61	2	103	10
DRW2B0920	9.2	61	2	103	10
DRW2B0930	9.3	61	2	103	10
DRW2B0940	9.4	61	2	103	10
DRW2B0950	9.5	61	2	103	10
DRW2B0960	9.6	61	2	103	10
DRW2B0970	9.7	61	2	103	10
DRW2B0980	9.8	61	2	103	10
DRW2B0990	9.9	61	2	103	10
DRW2B1000	10.0	61	2	103	10
DRW2B1010	10.1	71	2	118	12
DRW2B1020	10.2	71	2	118	12
DRW2B1030	10.3	71	2	118	12
DRW2B1040	10.4	71	2	118	12
DRW2B1050	10.5	71	2	118	12
DRW2B1060	10.6	71	2	118	12
DRW2B1070	10.7	71	2	118	12
DRW2B1080	10.8	71	2	118	12
DRW2B1090	10.9	71	2	118	12
DRW2B1100	11.0	71	2	118	12
DRW2B1110	11.1	71	2	118	12
DRW2B1120	11.2	71	2	118	12
DRW2B1130	11.3	71	2	118	12
DRW2B1140	11.4	71	2	118	12
DRW2B1150	11.5	71	2	118	12
DRW2B1160	11.6	71	2	118	12
DRW2B1170	11.7	71	2	118	12

編號	外徑	刃長	刃數	全長	柄徑
Type no.	D	H	Flutes	L	D2
DRW2B1180	11.8	71	2	118	12
DRW2B1190	11.9	71	2	118	12
DRW2B1200	12.0	71	2	118	12
DRW2B1250	12.5	77	2	124	14
DRW2B1280	12.8	77	2	124	14
DRW2B1300	13.0	77	2	124	14
DRW2B1350	13.5	77	2	124	14
DRW2B1380	13.8	77	2	124	14
DRW2B1400	14.0	77	2	124	14
DRW2B1450	14.5	83	2	133	16
DRW2B1480	14.8	83	2	133	16
DRW2B1500	15.0	83	2	133	16
DRW2B1550	15.5	83	2	133	16
DRW2B1580	15.8	83	2	133	16
DRW2B1600	16.0	83	2	133	16



Customization
Special for customized



BR2A (鎢鋼全球頭球型銑刀) 2 Flutes Carbide Lollipop tools 260°

編號	外徑	刃長	頸徑	頸長	刃數	全長	柄徑
Type no.	D	H	ND	NL	Flutes	L	D2
BR2A-1R	1R	1.63	1.53	3	2	50	4
BR2A-1.5R	1.5R	2.46	2.3	3	2	50	4
BR2A-2R	2R	3.3	3.06	5	2	50	4
BR2A-2.5R	2.5R	4.1	3.83	5	2	50	6
BR2A-3R	3R	4.93	4.6	5	2	50	6
BR2A-4R	4R	6.58	6.15	6	2	60	8
BR2A-5R	5R	8.22	7.66	8	2	75	10
BR2A-6R	6R	9.86	9.2	10	2	75	12
BR2A-8R	8R	13.37	12.26	10	2	100	16



BRL2A (鎢鋼全球頭長柄球型銑刀) Long Shank 2 Flutes Carbide Lollipop tools 260°

編號	外徑	刃長	頸徑	頸長	刃數	全長	柄徑
Type no.	D	H	ND	NL	Flutes	L	D2
BRL2A-1R	1R	1.63	1.53	3	2	75	4
BRL2A-1.5R	1.5R	2.46	2.3	3	2	75	4
BRL2A-2R	2R	3.3	3.06	5	2	75	4
BRL2A-2.5R	2.5R	4.1	3.83	5	2	75	6
BRL2A-3R	3R	4.93	4.6	5	2	75	6
BRL2A-4R	4R	6.58	6.15	6	2	100	8
BRL2A-5R	5R	8.22	7.66	8	2	100	10
BRL2A-6R	6R	9.86	9.2	10	2	100	12



Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools

C2A (鎢鋼倒角刀)

2 Flutes Carbide Chamfer End Mill 60°, 90°, 120°

編號	Type no.			外徑	刃數	全長	柄徑
	60°	90°	120°	D	Flutes	L	D2
C2A603	C2A903	C2A1203		3	2	50	3
C2A604	C2A904	C2A1204		4	2	50	4
C2A606	C2A906	C2A1206		6	2	50	6
C2A608	C2A908	C2A1208		8	2	60	8
C2A610	C2A910	C2A1210		10	2	75	10
C2A612	C2A912	C2A1212		12	2	75	12



EG (鎢鋼雕刻刀)



Carbide Engraving End Mill 30°, 60°, 90°

編號	外徑	頂角	刃數	全長	柄徑
Type no.	D	θ°	Flutes	L	D2
EG304020	0.20	30°	1	50	4
EG304025	0.25	30°	1	50	4
EG304050	0.50	30°	1	50	4
EG304075	0.75	30°	1	50	4
EG306020	0.20	30°	1	50	6
EG306025	0.25	30°	1	50	6
EG306050	0.50	30°	1	50	6
EG306075	0.75	30°	1	50	6
EG604020	0.20	60°	1	50	4
EG604025	0.25	60°	1	50	4
EG604050	0.50	60°	1	50	4
EG604075	0.75	60°	1	50	4
EG604150	1.50	60°	1	50	4
EG606020	0.20	60°	1	50	6
EG606025	0.25	60°	1	50	6
EG606050	0.50	60°	1	50	6
EG606075	0.75	60°	1	50	6
EG606150	1.50	60°	1	50	6
EG904020	0.20	90°	1	50	4
EG904025	0.25	90°	1	50	4
EG904050	0.50	90°	1	50	4
EG904075	0.75	90°	1	50	4
EG904150	1.50	90°	1	50	4
EG906020	0.20	90°	1	50	6
EG906025	0.25	90°	1	50	6
EG906050	0.50	90°	1	50	6
EG906075	0.75	90°	1	50	6
EG906150	1.50	90°	1	50	6



70

Yida Precision Tools





OR2A (鎢鋼外角R刀) 2 Flutes Carbide Outer Radius End Mill

編號	R角	柄斜角	小徑	大徑	刃長	刃數	全長	柄徑
Type no.	R	θ°	D1	D	H	Flutes	L	D2
OR2A4025	0.25R	3°	3.1	4	0.45	2	50	4
OR2A4050	0.5R	3°	2.6	4	0.70	2	50	4
OR2A4075	0.75R	3°	2.1	4	0.95	2	50	4
OR2A4100	1R	3°	1.6	4	1.20	2	50	4
OR2A4125	1.25R	3°	1.1	4	1.45	2	50	4
OR2A4150	1.5R	3°	0.7	4	1.70	2	50	4
OR2A6025	0.25R	3°	5.1	6	0.45	2	50	6
OR2A6050	0.5R	3°	4.6	6	0.70	2	50	6
OR2A6075	0.75R	3°	4.1	6	0.95	2	50	6
OR2A6100	1R	3°	3.6	6	1.20	2	50	6
OR2A6125	1.25R	3°	3.1	6	1.42	2	50	6
OR2A6150	1.5R	3°	2.6	6	1.70	2	50	6
OR2A6175	1.75R	3°	2.1	6	1.95	2	50	6
OR2A6200	2R	3°	1.6	6	2.20	2	50	6
OR2A6250	2.5R	3°	0.7	6	2.70	2	50	6
OR2A8050	0.5R	3°	6.6	8	0.70	2	50	8
OR2A8075	0.75R	3°	6.1	8	0.95	2	50	8
OR2A8100	1R	3°	5.6	8	1.20	2	50	8
OR2A8125	1.25R	3°	5.1	8	1.45	2	50	8
OR2A8150	1.5R	3°	4.6	8	1.70	2	50	8
OR2A8175	1.75R	3°	4.1	8	1.95	2	50	8
OR2A8200	2R	3°	3.6	8	2.20	2	50	8
OR2A8250	2.5R	3°	2.6	8	2.70	2	50	8
OR2A8275	2.75R	3°	2.1	8	2.95	2	50	8
OR2A8300	3R	3°	1.6	8	3.20	2	50	8
OR2A1020	2R	3°	5.6	10	2.20	2	60	10
OR2A1030	3R	3°	3.6	10	3.20	2	60	10
OR2A1040	4R	3°	1.6	10	4.20	2	60	10
OR2A1220	2R	3°	7.6	12	2.20	2	60	12
OR2A1230	3R	3°	5.6	12	3.20	2	60	12
OR2A1240	4R	3°	3.6	12	4.20	2	60	12
OR2A1250	5R	3°	1.6	12	5.20	2	60	12
OR2A1650	5R	3°	5.6	16	5.20	2	75	16
OR2A1660	6R	3°	3.6	16	6.20	2	75	16

Killer Whale Series

Drill, Reamer and Customized Tools


Yida Precision Tools



MSD2A (鎢鋼鑽銑刀) 60°,90°,120°

2 Flutes Carbide Multi function NC Spot Drill 60°,90°,120°

編號	頂角	外徑	刃長	刃數	全長	柄徑
Type no.	θ°	D	H	Flutes	L	D2
MSD2A603	60°	3	6	2	50	6
MSD2A604	60°	4	8	2	50	6
MSD2A605	60°	5	10	2	50	6
MSD2A606	60°	6	12	2	50	6
MSD2A608	60°	8	16	2	60	8
MSD2A610	60°	10	20	2	75	10
MSD2A612	60°	12	24	2	75	12
MSD2A616	60°	16	32	2	100	16
MSD2A620	60°	20	40	2	100	20
MSD2A903	90°	3	6	2	50	6
MSD2A904	90°	4	8	2	50	6
MSD2A905	90°	5	10	2	50	6
MSD2A906	90°	6	12	2	50	6
MSD2A908	90°	8	16	2	60	8
MSD2A910	90°	10	20	2	75	10
MSD2A912	90°	12	24	2	75	12
MSD2A916	90°	16	32	2	100	16
MSD2A920	90°	20	40	2	100	20
MSD2A1203	120°	3	6	2	50	6
MSD2A1204	120°	4	8	2	50	6
MSD2A1205	120°	5	10	2	50	6
MSD2A1206	120°	6	12	2	50	6
MSD2A1208	120°	8	16	2	60	8
MSD2A1210	120°	10	20	2	75	10
MSD2A1212	120°	12	24	2	75	12
MSD2A1216	120°	16	32	2	100	16
MSD2A1220	120°	20	40	2	100	20



MSDL2A (鎢鋼長柄鑽銑刀) 60°,90°,120° Long Shank 2 Flutes Carbide Multi function NC Spot Drill 60°,90°,120°

編號	頂角	外徑	刃長	刃數	全長	柄徑
Type no.	θ°	D	H	Flutes	L	D2
MSDL2A603	60°	3	6	2	75	6
MSDL2A604	60°	4	8	2	75	6
MSDL2A605	60°	5	10	2	75	6
MSDL2A606	60°	6	12	2	75	6
MSDL2A608	60°	8	16	2	100	8
MSDL2A610	60°	10	20	2	100	10
MSDL2A612	60°	12	24	2	100	12
MSDL2A903	90°	3	6	2	75	6
MSDL2A904	90°	4	8	2	75	6
MSDL2A905	90°	5	10	2	75	6
MSDL2A906	90°	6	12	2	75	6
MSDL2A908	90°	8	16	2	100	8
MSDL2A910	90°	10	20	2	100	10
MSDL2A912	90°	12	24	2	100	12
MSDL2A1203	120°	3	6	2	75	6
MSDL2A1204	120°	4	8	2	75	6
MSDL2A1205	120°	5	10	2	75	6
MSDL2A1206	120°	6	12	2	75	6
MSDL2A1208	120°	8	16	2	100	8
MSDL2A1210	120°	10	20	2	100	10
MSDL2A1212	120°	12	24	2	100	12

Killer Whale Series


Drill, Reamer and Customized Tools

Yida Precision Tools

UC4A UC6A (鎢鋼上下倒角刀) 60°,90°

Carbide Front and Back Chamfer End Mill


編號	頂角	外徑	刃長	頸徑	頸長	刃數	全長	柄徑
Type no.	θ°	D	H	ND	NL	Flutes	L	D2
UC4A604	60°	4	1.2	1.8	3	4	50	4
UC4A606	60°	6	1.8	2.7	4	4	60	6
UC4A608 / UC6A608	60°	8	2.4	3.6	5	4/6	60	8
UC4A610 / UC6A610	60°	10	3.1	4.5	6	4/6	75	10
UC4A612 / UC6A612	60°	12	3.7	5.4	7	4/6	75	12
UC4A904	90°	4	1.8	2	4	4	50	4
UC4A906	90°	6	2.8	3	4	4	60	6
UC4A908 / UC6A908	90°	8	3.8	4	5	4/6	60	8
UC4A910 / UC6A910	90°	10	4.8	5	6	4/6	75	10
UC4A912 / UC6A912	90°	12	5.8	6	7	4/6	75	12



DO4A DO6A (鎢鋼鳩尾槽刀) 45°,60°


Carbide Dovetail End Mill 45°,60°

編號	頂角	外徑	刃長	頸徑	頸長	刃數	全長	柄徑
Type no.	θ°	D	H	ND	NL	Flutes	L	D2
DO4A4503	45°	3	0.8	1.4	3	4	60	6
DO4A45044/DO4A45046	45°	4	1	2	3	4	50/60	4/6
DO4A4505	45°	5	1.2	2.5	4	4	60	6
DO4A4506	45°	6	1.4	3	4	4	60	6
DO4A/6A4508	45°	8	1.9	4	5	4/6	60	8
DO4A/6A4510	45°	10	2.4	5	6	4/6	75	10
DO4A/6A4512	45°	12	2.9	6	7	4/6	75	12
DO4A6003	60°	3	1.2	1.5	3	4	60	6
DO4A6004	60°	4	1.6	2	3.5	4	60	6
DO4A6005	60°	5	2.2	2.3	4	4	60	6
DO4A6006	60°	6	2.7	2.7	4	4	60	6
DO4A/6A6008	60°	8	3.7	3.6	5	4/6	60	8
DO4A/6A6010	60°	10	4.6	4.5	6	4/6	75	10
DO4A/6A6012	60°	12	5.6	5.4	7	4/6	75	12



Remarkable Efficiency

www.ydendmill.com



HM -螺旋銑牙刀 ISO 標準規格 (內牙)


Carbide Thread Mills - Spiral flute-ISO Metric (Internal)

編號	粗牙	細牙	螺距	外徑	刃長	刃數	柄徑	全長
Type no.	Coarse	Fine	Pitch	D	H	Flutes	D2	L
HM2405	M3x0.5	-	0.5	2.4	6	3	4	50
HM31507	M4x0.7	-	0.7	3.15	8	3	4	50
HM605	-	M7.0x0.5	0.5	6	15	3	6	60
HM36075	M4.5x0.75	M5x0.75	0.75	3.6	10.1	3	6	60
HM6075	-	M8.0x0.75	0.75	6	15	3	6	60
HM8075	-	M10.0x0.75	0.75	8	20	3	8	60
HM408	M5.0x0.8	-	0.8	4	10	3	6	60
HM4810	M6.0x1.0	M7.0x1.0	1	4.8	11.5	3	6	60
HM810	-	M10.0x1.0	1	8	20	3	8	60
HM1010	-	M12.0x1.0	1	10	25	4	10	75
HM6125	M8.0x1.25	M9.0x1.25	1.25	6	15	3	6	60
HM815	M10.0x1.5	M11.0x1.5	1.5	8	20	3	8	60
HM1015	-	M13.0x1.5	1.5	10	25	4	10	75
HM1215	-	M15.0x1.5	1.5	12	25	4	12	75
HM1615	-	M20.0x1.5	1.5	16	40	4	16	100
HM10175	M12.0x1.75	-	1.75	10	25	4	10	75
HM1020	M14.0x2.0	-	2	10	25	4	10	75
HM1220	M16.0x2.0	-	2	12	25	4	12	75
HM1620	-	M20.0x2.0	2	16	40	4	16	100
HM1625	M20.0x2.5	-	2.5	16	40	4	16	100
HM1630	M24.0x3.0	M27.0x3.0	3	16	40	4	16	100
HM2030	M27.0x3.0	-	3	20	50	4	20	100

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools



HS -螺旋銑牙刀 ISO 特殊規格 (內牙)

Special Spec.
Carbide Thread Mills-
Spiral flute-ISO Metric (Internal)


編號	螺距	外徑	刃長	刃數	柄徑	全長
Type no.	Pitch	D	H	Flutes	D2	L
HS405	0.5	4	15	3	4	50
HS407	0.7	4	15	3	4	50
HS4075	0.75	4	15	3	4	50
HS408	0.8	4	15	3	4	50
HS410	1	4	15	3	4	50
HS605	0.5	6	15	3	6	60
HS6075	0.75	6	15	3	6	60
HS60793	0.793	6	15	3	6	60
HS608	0.8	6	15	3	6	60
HS60907	0.907	6	15	3	6	60
HS610	1	6	15	3	6	60
HS6125	1.25	6	15	3	6	60
HS6127	1.27	6	15	3	6	60
HS615	1.5	6	15	3	6	60
HS61587	1.587	6	15	3	6	60
HS61814	1.1814	6	15	3	6	60
HS805	0.5	8	20	3	8	60
HS80793	0.793	8	20	3	8	60
HS80907	0.907	8	20	3	8	60
HS81058	1.058	8	20	3	8	60

編號	螺距	外徑	刃長	刃數	柄徑	全長
Type no.	Pitch	D	H	Flutes	D2	L
HS8125	1.25	8	20	3	8	60
HS8127	1.27	8	20	3	8	60
HS81336	1.336	8	20	3	8	60
HS81411	1.411	8	20	3	8	60
HS8175	1.75	8	20	3	8	60
HS81814	1.1814	8	20	3	8	60
HS820	2	8	20	3	8	60
HS82116	2.116	8	20	3	8	60
HS1005	0.5	10	25	4	10	75
HS10075	0.75	10	25	4	10	75
HS100907	0.907	10	25	4	10	75
HS101058	1.058	10	25	4	10	75
HS10125	1.25	10	25	4	10	75
HS10127	1.27	10	25	4	10	75
HS101411	1.411	10	25	4	10	75
HS101587	1.587	10	25	4	10	75
HS101814	1.814	10	25	4	10	75
HS101953	1.953	10	25	4	10	75
HS102116	2.116	10	25	4	10	75
HS120793	0.793	12	30	4	12	75
HS1210	1	12	30	4	12	75
HS121058	1.058	12	30	4	12	75
HS12125	1.25	12	30	4	12	75
HS12127	1.27	12	30	4	12	75
HS121411	1.411	12	30	4	12	75
HS121587	1.587	12	30	4	12	75
HS12175	1.75	12	30	4	12	75
HS121814	1.814	12	30	4	12	75
HS122309	2.309	12	30	4	12	75
HS1225	2.5	12	30	4	12	75
HS1610	1	16	40	4	16	100
HS1615	1.5	16	40	4	16	100
HS161814	1.814	16	40	4	16	100
HS1620	2	16	40	4	16	100
HS162116	2.116	16	40	4	16	100
HS1625	2.5	16	40	4	16	100
HS16254	2.54	16	40	4	16	100
HS162822	2.822	16	40	4	16	100
HS1630	3	16	40	4	16	100
HS1635	3.5	16	40	4	16	100
HS1640	4	16	40	4	16	100
HS2030	3	20	50	4	20	100
HS203175	3.175	20	50	4	20	100
HS2035	3.5	20	50	4	20	100
HS2040	4	20	50	4	20	100
HS2050	5	20	50	4	20	100



Remarkable Efficiency

www.ydendmill.com



HMS -螺旋小徑銑牙刀 ISO 規格 (內牙)(有效2倍牙長)

Carbide Micro Thread Mills-ISO Metric (Internal)-2D


*Thread Length-Up to 2D (D=Nominal Thread Size)

編號	牙尺寸	螺距	外徑	有效長	刃數	柄徑	全長
Type no.	Thread Size	Pitch	D	H	Flutes	D2	L
HMS72	M1.0x0.25	0.25	0.72	2.5	3	4	50
HMS92	M1.2x0.25	0.25	0.92	2.8	3	4	50
HMS12	M1.6x0.35	0.35	1.2	3.3	3	4	50
HMS155	M2.0x0.4	0.4	1.55	4.4	3	4	50
HMS172	M2.2x0.45	0.45	1.72	4.8	3	4	50
HMS20	M2.5x0.45	0.45	2	5.3	3	4	50
HMS24	M3.0x0.5	0.5	2.4	6.4	3	4	50
HMS275	M3.5x0.6	0.6	2.75	7.4	3	4	50
HMS315	M4.0x0.7	0.7	3.15	8.6	3	6	60
HMS40	M5.0x0.8	0.8	4	12	3	6	60
HMS475	M6.0x1.0	1	4.75	13	3	6	60
HMS595	M8.0x1.25	1.25	5.95	17.3	3	6	60
HMS65	M8.0x1.25	1.25	6.5	17.3	3	8	60
HMS80	M10.0x1.5	1.5	8	22	3	8	60
HMS95	M12.0x1.75	1.75	9.5	25.5	4	10	80
HMS100	M14x2.0	2	10	29	4	10	80
HMS120	M16x2.0	2	12	33	4	12	80
HMS160	M20x2.5	2.5	16	42	4	16	100

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools




HML -螺旋小徑銑牙刀 ISO 規格 (內牙)(有效3倍牙長)

Carbide Micro Thread Mills-ISO Metric (Internal)-3D

*Thread Length-Up to 2D (D=Nominal Thread Size)

編號	牙尺寸	螺距	外徑	有效長	刃數	柄徑	全長
Type no.	Thread Size	Pitch	D	H	Flutes	D2	L
HML106	M1.4x0.3	0.3	1.06	3.9	3	4	50
HML12	M1.6x0.35	0.35	1.2	5.1	3	4	50
HML155	M2.0x0.4	0.4	1.55	6.1	3	4	50
HML20	M2.5x0.45	0.45	2	7.6	3	4	50
HML24	M3.0x0.5	0.5	2.4	9.3	3	4	50
HML315	M4.0x0.7	0.7	3.15	12.4	3	6	60
HML40	M5.0x0.8	0.8	4	15.6	3	6	60
HML475	M6.0x1.0	1	4.75	19	3	6	60
HML595	M8.0x1.25	1.25	5.95	24.3	3	6	60
HML65	M8.0x1.25	1.25	6.5	24.3	3	8	60
HML80	M10x1.5	1.5	8	31	3	8	60
HML95	M12x1.75	1.75	9.5	36.5	4	10	80






H60M -單牙銑牙刀 60° ISO規格 (內牙)

Carbide Thread Mills 60°- ISO Metric (Internal)

編號	粗牙	細牙	螺距	外徑	有效長	刃數	柄徑	全長	底孔尺寸
Type no.	Coarse	Fine	Pitch	D	H	Flutes	D2	L	Bottom Hole Size
H60M070	M1.0x0.25	M1.4x0.25	0.25	0.7	3.1	3	4	50	0.75
H60M090	M1.2x0.25	M1.4x0.25	0.25	0.9	3.8	3	4	50	0.95
H60M105	M1.4x0.3	-	0.3	1.05	4.4	3	4	50	1.15
H60M120	M1.6x0.35	-	0.35	1.2	5	3	4	50	1.3
H60M140	M1.8x0.35	M2.0x0.35	0.35	1.4	5.6	3	4	50	1.5
H60M150	M2.0x0.4	-	0.4	1.5	6.2	3	4	50	1.65
H60M195	M2.5x0.45	-	0.45	1.95	7.7	3	4	50	2.1



HP60 -單牙銑牙刀 60° ISO規格 (內牙/外牙)



Carbide Thread Mills-Partial Profile 60°- ISO Metric (Internal/External)

編號	間距	外徑	有效長	刃數	頸徑	柄徑	全長
Type no.	Pitch Range MM TPI	D	H	Flutes	ND	D2	L
HP60195	0.35-0.6 72-40	1.95	6	3	0.75	4	50
HP60245	0.5-0.8 48-32	2.45	7.7	3	0.95	4	50
HP60315	0.5-0.8 48-32	3.15	10	3	1.65	4	50
HP60400	0.5-1.0 48-24	4	12	3	2.07	4	50
HP60470	0.5-1.25 48-20	4.7	15	3	2.33	6	60
HP60600	0.5-1.25 48-20	6	18	3	3.63	6	60
HP60800	0.75-1.5 32-16	8	24	3	5.15	8	60
HP60100	1.0-2.5 24-10	10	30	4	5.28	10	80
HP60120	1.0-2.5 24-10	12	36	4	7.28	12	80
HP60160	1.0-2.5 24-10	16	49	4	11.28	16	100

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools




HUI -螺旋銑牙刀 UN 美規 (內牙)

Carbide Thread Mills - Spiral flute-UN (Internal)

編號	粗牙	細牙	極細牙	螺距	外徑	刃長	刃數	柄徑	全長
Type no.	Coarse	Fine	Extra-fine	Pitch	D	H	Flutes	D2	L
HUI3206	-	-	5/16"	32	6	15	3	6	60
HUI3208	-	-	3/8"	32	8	20	3	8	60
HUI2806	-	1/4"	-	28	5.1	15	3	6	60
HUI2808	-	-	7/16"-1/2"	28	8	20	3	8	60
HUI2406	-	5/16"	-	24	6	15	3	6	60
HUI2408	-	3/8"	-	24	8	20	3	8	60
HUI2412	-	9/16"-5/8"	-	24	12	30	4	12	75
HUI2006	1/4"	-	-	20	4.8	12	3	6	60
HUI2008	-	7/16"	-	20	8	20	3	8	60
HUI2010	-	1/2"	-	20	10	25	4	10	75
HUI2012	-	-	3/4"-1"	20	12	30	4	12	75
HUI1806	5/16"	-	-	18	6	15	3	6	60
HUI1810	-	9/16"-5/8"	-	18	10	25	4	10	75
HUI1680	3/8"	-	-	16	7.5	20	3	8	60
HUI1612	-	3/4"	-	16	12	30	4	12	75
HUI1408	7/16"	-	-	14	8	20	3	8	60
HUI1412	-	7/8"	-	14	12	30	4	12	75
HUI1310	1/2"	-	-	13	10	25	3	10	75
HUI1212	9/16"	-	-	12	11.5	30	4	12	75
HUI1216	-	1"	-	12	16	40	4	16	100
HUI1112	5/8"	-	-	11	12	30	4	12	75
HUI1016	3/4"	-	-	10	16	40	4	16	100
HUI916	7/8"	-	-	9	16	40	4	16	100
HUI820	1"	-	-	8	16	50	4	20	100

Remarkable Efficiency

www.ydendmill.com



HUIS -單螺旋小徑銑牙刀 UN 美規 (內牙)(有效2倍長) Carbide Micro Thread Mills - UN (Internal)-2D


*Thread Length-Up to 2D (D=Nominal Thread Size)

編號	粗牙	細牙	螺距	外徑	有效長	刃數	柄徑	全長
Type no.	Coarse	Fine	Pitch	D	H	Flutes	D2	L
HUIS7204	-	1-72 UNF	72	1.44	3.8	3	4	50
HUIS6404	1-64 UNC	2-64 UNF	64	1.4	3.9	3	4	50
HUIS5604	2-56 UNC	3-56 UNF	56	1.66	4.6	3	4	50
HUIS4804	3-48 UNC	4-48 UNF	48	1.88	5.4	3	4	50
HUIS40041	4-40 UNC	-	40	2.12	6.2	3	4	50
HUIS40042	5-40 UNC	6-40 UNF	40	2.46	7.1	3	4	50
HUIS3604	-	8-36 UNF	36	3.31	8.8	3	4	50
HUIS3204	6-32 UNC	-	32	2.57	7.3	3	4	50
HUIS3206	8-32 UNC	10-32 UNF	32	3.22	10.1	3	6	60
HUIS2806	-	1/4"-28 UNF	28	5.2	14	3	6	60
HUIS2406	10-24 UNC	-	24	3.55	10.4	3	6	60
HUIS2408	-	5/16"-24 UNF	24	6.65	16.7	3	8	60
HUIS2006	1/4"-20 UNC	7/16"-20 UNF	20	4.85	13.7	3	6	60
HUIS2008	-	7/16"-20 UNF	20	8	24	3	8	60
HUIS1806	5/16"-18 UNC		18	6	16.5	3	6	60
HUIS1608	3/8"-16 UNC		16	6.9	21	3	8	60
HUIS1408	7/16"-14 UNC		14	8	23.5	3	8	60
HUIS1310	1/2"-13 UNC		13	9.5	29	4	10	80
HUIS1210	9/16"-12 UNC		12	10	29	4	10	80
HUIS1112	5/8"-11 UNC		11	11.5	35	4	12	80
HUIS1016	3/4"-10 UNC		10	14.4	42	4	16	110

Killer Whale Series

Drill, Reamer and Customized Tools

Yida Precision Tools



HUIL -HUIL-螺旋小徑銑牙刀 UN 美規 (內牙)(有效3倍長) Carbide Micro Thread Mills - UN (Internal)-3D

*Thread Length-Up to 3D (D=Nominal Thread Size)

編號	粗牙	細牙	螺距	外徑	有效長	刃數	柄徑	全長
Type no.	Coarse	Fine	Pitch	D	H	Flutes	D2	L
HUIL8004	-	0-80 UNF	80	1.18	3.9	3	4	50
HUIL7204	-	1-72 UNF	72	1.44	5.8	3	4	50
HUIL5604	2-56 UNC	3-56 UNF	56	1.66	6.8	3	4	50
HUIL40041	4-40 UNC	-	40	2.12	8.1	3	4	50
HUIL40042	5-40 UNC	6-40 UNF	40	2.46	9.8	3	4	50
HUIL3204	6-32 UNC	-	32	2.57	10.7	3	4	50
HUIL3206	8-32 UNC	10-32 UNF	32	3.22	12.7	3	6	60
HUIL2806	-	1/4"-25 UNF	28	5.2	19.3	3	6	60
HUIL2408	-	5/16"-24 UNF	24	6.65	24.2	3	8	60
HUIL2006	1/4"-20 UNC	7/16"-20 UNF	20	4.85	19.4	3	6	60



